

Listing of the Claims

Please amend the claims as indicated below:

1. (Original) Apparatus for restraining an infant during a diaper changing operation and for shielding a changing surface and/or diaper changer during a diaper changing operation, said apparatus comprising:

a generally planar shield portion having an upper surface for supporting an infant and a lower surface for contacting a diaper changing support surface, said shield portion comprising a fabric pocket, said fabric pocket having a compartment having an aperture housing at least one generally rigid, removable insert, said insert comprising a generally stiff barrier material, said insert having at least one living hinge portion separating at least two major surfaces of said insert, said at least two major surfaces being foldable one on top of the other such that said shield portion is foldable into a compact unit;

said fabric pocket having a top portion and a bottom portion and a middle portion extending between said top and said bottom portions; and

a restraining mechanism for restraining shoulders of an infant during a diaper changing operation, said restraining mechanisms comprising an adjustable strap system, said adjustable strap system having at least a right strap and a left strap, said right and left straps connecting to said fabric pocket proximal said top portion at one end and proximal said middle portion at another end, and each said right and left straps including a matable element of a quick release system and being connectable one to the other by engaging said matable elements of said quick release system.

2. (Original) An apparatus for restraining an infant according to claim 1 wherein each said right and left strap is adjustable in length.

3. (Original) An apparatus for restraining an infant according to claim 2 wherein said insert comprises at least two living hinge portions separating at least three major surfaces, each of said at least three major surfaces being foldable on top of an adjacent major surface such that said shield portion is foldable into a compact unit.

4. (Original) An apparatus for restraining an infant according to claim 3 wherein said insert comprises a material which is substantially liquid impermeable.

5. (Original) An apparatus for restraining an infant according to claim 4 wherein said fabric pocket comprises a cushioned material for providing a comfortable changing surface for an infant.

6. (Original) An apparatus according to claim 5 wherein said fabric pocket includes an opening through which said insert can be removed or replaced, said opening having a closing mechanism for closing said opening when said apparatus is being used, stored, or transported.

7. (Original) An apparatus according to claim 6 further including a securing strap attached to a portion of said fabric pocket capable of maintaining said major surfaces as a folded unit for transport or storage purposes.

8. (Original) An apparatus according to claim 7 wherein said matable elements of said quick release system comprise male and female portions for connecting one to the other.

9. (Currently amended) Apparatus for restraining an infant during a diaper changing operation and for shielding a changing surface and/or diaper changer during a diaper changing operation, said apparatus comprising:

a generally planar shield portion having an upper surface for supporting an infant and a lower surface for contacting a diaper changing support surface, said shield portion comprising a fabric pocket, said fabric pocket having a plurality of compartments having apertures separated one from another by restriction portions, each of said plurality of compartments housing one of a plurality of generally rigid, removable inserts, each said insert comprising a generally stiff barrier material;

said fabric pocket being foldable at said restriction portions such that said fabric pocket is foldable into a compact unit;

said fabric pocket having a top portion and a bottom portion and a middle portion extending between said top and said bottom portions; and

a restraining mechanism for restraining shoulders of an infant during a diaper changing operation, said restraining mechanism comprising an adjustable strap system, said adjustable strap system having at least a right strap and a left strap, said right and left straps connecting to said fabric pocket proximal said top portion at one end and proximal said middle portion at another end, and each said right and left straps including a matable element of a quick release system and being

connectable one to the other by engaging said matable elements of said quick release system.

10. (Original) Apparatus according to claim 3 wherein said fabric pocket includes an inner liquid impermeable shell.

11. (Original) Apparatus according to claim 10 wherein said fabric pocket includes an outer liquid permeable shell and a layer of padding sandwiched between said inner and said outer shells.

12. (Original) Apparatus according to claim 9 wherein said fabric pocket includes an inner liquid impermeable shell.

13. (Original) Apparatus according to claim 12 wherein said fabric pocket includes an outer liquid permeable shell and a layer of padding sandwiched between said inner and said outer shells.

14. Canceled

15. Canceled

16. Canceled

17. Canceled

18. Canceled

19. Canceled

20. (Original) An apparatus for restraining an infant according to claim 5 wherein said lower surface of said shield portion includes an anti-skid surface.